

a 2008 0096

The invention refers to medicine, namely neurology, pediatry, reflexotherapy and can be used for treating children with hyperkinesiae.

The method, according to the invention, consists in that the patient is administered *per os* the preparations *Lymphomyosot*, *Berberis-Homaccord*, *Gelsemium-Homaccord* 5-10 drops 3 times a day during 1...2 months and sublingually *Nervoheel* 1 pill 3 times a day during 1...3 months, *Spascupreel* and *Spigelon* 1 pill 3 times a day during 1...2 months. Beginning with the second week of treatment there are subcutaneously introduced the preparations *Cerebrum compositum N* 2,2 ml, *Traumeel S* 2,2 ml, *Placenta compositum* 2,2 ml, *Coenzyme compositum* 2,2 ml, *Ubichinon compositum* 2,2 ml, 1...2 times a week in the region of biologically active points E 36, 40, 44; G 11, 14, 18; MC 6; RP 6, 9; C 5, 7; V 1, 6, 10, 11, 15, 60, 62, 63, 64; VB 1, 16, 20, 41; T 2, 3, 16, 17, 21, 22; IG 3; TR 23; P 3, 7 during 5 weeks, at the same time in each biologically active point is introduced a single indicated medicinal preparation and each preparation is introduced in 3...5 points.

Claims: 1